Life Cycle Assessment for Galaxy Chromebook 3 360(KR)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform


BOM** : Bill of Material

Manufacturing	Parts and materials constituting the products and its transportation Product assembly by Samsung Electronics
Distribution	From Vietnam to KR
Use	4 years use
Disposal	Waste treatment of parts and material




Model name	Galaxy Chromebook 3 360 (XQ520QHA)	
Dimension (mm)	287.9 x 206.6 x 16.9	
Display (mm)	315	
Weight	Product & Acc.	1422.43
(g)	Packages	637.66

Characterized Environment Impact




Global Warming Impact Profile



Life Cycle Carbon Emissions

Unit : kgCO2 eq.



^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book5(US)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP* : Sustainability Data Platform

BOM** : Bill of Material

System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to US
Use	4 years use
Disposal	Waste treatment of parts and material


LCA Report Issuance Date : Aug. 05, 2025

Webpage Publication Date of Summary of LCA: Sep. 30, 2025





Model name	Galaxy Book5(NP750XHD)	
Dimension (mm)	356.6 x 228.0 x 15.1	
Display (mm)	396	
Weight	Product & Acc.	1712.44
(g)	Packages	759.17

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book5 Pro 16(KR)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform


BOM** : Bill of Material

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to KR
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NT965XHD (Galaxy Book5 Pro16)	
Dimension (mm)	355.4 x 250.4 x 12.5	
Display (mm)	406.4	
Weight (g)	Product & Acc.	1758.52
	Packages	1027.16

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book5 360 15(US)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform


BOM** : Bill of Material

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to US
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP750QHA (Galaxy Book5 360 15")	
Dimension (mm)	355.4 x 228.0 x 13.7	
Display (mm)	396.2	
Weight	Product & Acc.	1,691.55
(g)	Packages	667.22

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book5 Pro 16(UK)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform


BOM**: Bill of Material

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to UK
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP960XHA (Galaxy Book5 Pro16)	
Dimension (mm)	355.4 x 250.4 x 12.5	
Display (mm)	406.4	
Weight (g)	Product & Acc.	1752.97
	Packages	1032.08

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book5 Pro 16(US)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform


BOM** : Bill of Material

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to US
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP960XHA (Galaxy Book5 Pro16)	
Dimension (mm)	355.4 x 250.4 x 12.5	
Display (mm)	406.4	
Weight	Product & Acc.	1754.05
(g)	Packages	1032.07

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book5 Pro 14(UK)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform


BOM** : Bill of Material

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to UK
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NT940XHA (Galaxy Book5 Pro14)	
Dimension (mm)	312.3 x 223.8 x 11.6	
Display (mm)	355.6	
Weight (g)	Product & Acc.	1415.16
	Packages	857.58

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book5 Pro 14(US)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform


BOM** : Bill of Material

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to US
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NT940XHA (Galaxy Book5 Pro14)	
Dimension (mm)	312.3 x 223.8 x 11.6	
Display (mm)	355.6	
Weight (g)	Product & Acc.	1408.45
	Packages	856.46

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Chromebook+

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform

BOM** : Bill of Material

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to US
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	XE550XGA (Galaxy Chromebo	ook+)
Dimension (mm)	225.8 x 355.4 x 11.8	8
Display (mm)	396.2	
Weight (g)	Product & Acc.	1,305.30
	Packages	639.38

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book5 Pro 360(UK)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform


BOM** : Bill of Material

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to US
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP960QHA (Galaxy Book5 Pro	360)
Dimension (mm)	355.4 x 252.2 x 12.8	8
Display (mm)	400.6	
Weight (g)	Product & Acc.	1,841.68
	Packages	1,327.77

Characterized Environment Impact



Global Warming Impact Profile





Life Cycle Assessment for Galaxy Book4 Edge (US)

Background

Samsung has developed the technical expertise to analyze and evaluate the environmental impact of its products. Based on international standards such as ISO14040 and ISO14044, Samsung has implemented the SDP*. This evaluation considers the entire product lifecycle, including manufacturing, distribution, usage, and disposal. The SDP analyzes various data categories, including the materials and weight of product BOM**, inputs/outputs in manufacturing processes, distribution routes, energy consumption during product usage, and disposal scenarios to precisely measure environmental impacts.

The LCA results identified and quantified 11 environmental impact categories, including climate change, acidification, ecotoxicity, and ozone depletion. Each category was evaluated for every lifecycle stage. These results will be utilized to improve product environmental specifications and inform product development.

This verification includes implementation methods, related procedures, and requirements for LCA, but does not ensure the reliability of the data used for the product model or the resulting outcomes. Considering these uncertainties, this report will be continuously updated and improved.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML v4.8 (Climate Change:IPCC)
LCA software	SDP(Sustainability Data Platform)

SDP*: Sustainability Data Platform


BOM** : Bill of Material

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to US
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP750XQA (Galaxy Book4 Ed	ge)
Dimension (mm)	356.6 x 229.75 x 15	5.0
Display (mm)	396.24	
Weight (g)	Product & Acc.	1,668.56
	Packages	654.24

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book4 Edge 16"

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; pre-manufacturing; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.6.0.1 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.09 / the Netherlands, 1997 as provided in the SimaPro 9.6.0.1 LCA tool
LCA software	SimaPro 9.6.0.1

System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to US
Use	4 years use
Disposal	Waste treatment of parts and material

Critical review for LCA study was done by internal expert in Circular Economy Lab of Samsung Electronics. (ecodesign@samsung.com)





Model name	NP960XMA	
Dimension	355.4 x 250.4 x 12.3 mm	
Display	16" AMOLED	
Weight	Product&Acc.: 1709.91 g Packages: 897.04 g	
Energy consumption	17.55 kWh / year	

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book4 Edge 14"

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; pre-manufacturing; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.6.0.1 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.10
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.09 / the Netherlands, 1997 as provided in the SimaPro 9.6.0.1 LCA tool
LCA software	SimaPro 9.6.0.1

System boundary of LCA


Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to US
Use	4 years use
Disposal	Waste treatment of parts and material

Critical review for LCA study was done by internal expert in Circular Economy Lab of Samsung Electronics. (ecodesign@samsung.com)





Model name	NP940XMA
Dimension	312.3 x 223.8 x 10.9 mm
Display	14" AMOLED
Weight	Product&Acc.: 1322.77 g Packages: 825.45 g
Energy consumption	16.45 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book4 360

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; pre-manufacturing; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.5.0.0 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.9.1
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.09 / the Netherlands, 1997 as provided in the SimaPro 9.5.0.0 LCA tool
LCA software	SimaPro 9.5.0.0

System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to United States
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP750QGK
Dimension	355.4 x 228.0 x 13.7 mm
Display	15.6" AMOLED
Weight	Product & Acc. : 1624.17g Packages : 666.42g
Energy consumption	16.73 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book4 Pro 14"

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; pre-manufacturing; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.5.0.0 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.9.1
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.09 / the Netherlands, 1997 as provided in the SimaPro 9.5.0.0 LCA tool
LCA software	SimaPro 9.5.0.0

System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics Vietnam
Distribution	From Vietnam to United States
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP940XGK
Dimension	312.3 x 223.8 x 11.6 mm
Display	14.0" AMOLED
Weight	Product & Acc. : 1402.92g Packages : 801.59g
Energy consumption	14.14 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book4 Pro 16"

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; pre-manufacturing; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.5.0.0 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.9.1
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.09 / the Netherlands, 1997 as provided in the SimaPro 9.5.0.0 LCA tool
LCA software	SimaPro 9.5.0.0

System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics Vietnam
Distribution	From Vietnam to United States
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP960XGK
Dimension	355.4 x 250.4 x 12.5 mm
Display	16.0" AMOLED
Weight	Product & Acc. : 1723.70g Packages : 1086.63g
Energy consumption	15.63 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book4 Ultra

Background


Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; pre-manufacturing; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.5.0.0 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis


Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.9.1
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.09 / the Netherlands, 1997 as provided in the SimaPro 9.5.0.0 LCA tool
LCA software	SimaPro 9.5.0.0

System boundary of LCA


Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics
Distribution	From Vietnam to United States
Use	4 years use
Disposal	Waste treatment of parts and material




Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book4 Pro 360

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; pre-manufacturing; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.5.0.0 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.9.1
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.09 / the Netherlands, 1997 as provided in the SimaPro 9.5.0.0 LCA tool
LCA software	SimaPro 9.5.0.0


System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation	
Manufacturing	Product assembly by Samsung Electronics	
Distribution	From Vietnam to United States	
Use	4 years use	
Disposal	Waste treatment of parts and material	





Model name	NP960QGK
Dimension	355.4 x 252.2 x 12.8 mm
Display	16" WQXGA+, AMOLED
Weight	Product & Acc. : 1,835.96g Packages : 1,042.96g
Energy consumption	16.97 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book3 Ultra 16"

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.4.0.3 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.8
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.06 / the Netherlands, 1997 as provided in the SimaPro 9.4.0.3 LCA tool
LCA software	SimaPro 9.4.0.3


System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics Vietnam
Distribution	From Vietnam to United States
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP960XFH
Dimension	355.4 x 250.4 x 16.5 mm
Display	16" WQXGA+ AMOLED
Weight	Product & Acc. : 2085.17g Packages : 1231.28g
Energy consumption	15.49 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book3 360 15.6"

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.4.0.3 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.8
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.06 / the Netherlands, 1997 as provided in the SimaPro 9.4.0.3 LCA tool
LCA software	SimaPro 9.4.0.3

System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation	
Manufacturing	Product assembly by Samsung Electronics Vietnam	
Distribution	From Vietnam to United States	
Use	4 years use	
Disposal	Waste treatment of parts and material	





Model name	NP750QFG
Dimension	355.4 x 228 x 13.7 mm
Display	15.6" FHD AMOLED
Weight	Product & Acc. : 1624.17g Packages : 686.35g
Energy consumption	16.85 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book3 Pro 360 16"

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.4.0.3 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.8
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.06 / the Netherlands, 1997 as provided in the SimaPro 9.4.0.3 LCA tool
LCA software	SimaPro 9.4.0.3


System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics Vietnam
Distribution	From Vietnam to United States
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP960QFG
Dimension	355.4 x 252.2 x 12.8 mm
Display	16.0" WQXGA+ AMOLED
Weight	Product & Acc.: 1,831.34g Packages: 998.24g
Energy consumption	17.36 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book3 Pro 16"

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.3.0.3 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.8
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML 2 baseline 2000 V2.05 / the Netherlands, 1997 as provided in the SimaPro 9.3.0.3 LCA tool
LCA software	SimaPro 9.3.0.3

System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics Vietnam
Distribution	From Vietnam to United States
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP960XFG
Dimension	355.4 x 250.4 x 12.5 mm
Display	16.0" WQXGA+ AMOLED
Weight	Product & Acc.: 1724.62g Packages: 990.55g
Energy consumption	20.36 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.

Life Cycle Assessment for Galaxy Book3 Pro 14"

Background

Samsung has developed strong technical experience in assessing the life cycle environmental impacts of its products. The assessment considers potential environmental impacts across the whole life cycle including; product manufacturing; distribution; product use; and disposal phase. To ensure technical quality; the analysis methodology has been completed according to international standard ISO 14040 series. Samsung has used SimaPro 9.4.0.3 software and a dedicated LCA S/W database to measure environmental impacts using a wide range of data categories including; Product bill of material(BOM), parts and components logistics, energy consumption in product use and end-of-life scenario data in order to attain the highest level of accuracy. The outcome of the LCA confirmed and quantified 10 potential environment impact categories including; global warming; abiotic depletion; ocean acidification; eutrophication; and ozone layer depletion; where each impact category has been assessed for each life cycle stage. These LCA results will continue to be considered during product development phase as we aspire to improve the environmental specifications of our products.

Calculation basis

Standard	ISO 14040:2006 and 14044:2006
Database	Ecoinvent 3.8
Method for impact assessment	Life cycle impact assessment classification and characterization factors according to CML-IA baseline V3.06 / the Netherlands, 1997 as provided in the SimaPro 9.4.0.3 LCA tool
LCA software	SimaPro 9.4.0.3

System boundary of LCA

Pre- manufacturing	Parts and materials constituting the products and its transportation
Manufacturing	Product assembly by Samsung Electronics Vietnam
Distribution	From Vietnam to United States
Use	4 years use
Disposal	Waste treatment of parts and material





Model name	NP940XFG
Dimension	312.3 x 223.8 x 11.3 mm
Display	14.0" WQXGA+ AMOLED
Weight	Product & Acc. : 1333.70g Packages : 771.70g
Energy consumption	17.86 kWh / year

Characterized Environment Impact



Global Warming Impact Profile





^{*} The results differ from to region, But not by much.